

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Matizol Color Roof
- · Article number: D-5023
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Liquid waterproofing on the basis of polymers in aqueous dispersion.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Matizol

Selena FM S.A.

ul. Legnicka 48 A 54-202 Wrocław, Poland

tel.: +48 71 78 38 290 e-mail: office@selena.com

www.selena.com BDO: 000136566

- · Further information obtainable from: msds@selena.com
- · 1.4 Emergency telephone number: European emergency number: 112 (24h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Contains biocidal products: a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%

(Contd. on page 2)

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

CAS: 55965-84-9
Index number: 613-167-00-5
Index number: 613-167-00-5
Index number: 613-167-00-5

| a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)
| Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071
| Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Remove soiled clothing. After contact with skin, rinse with plenty of water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open.

If symptoms persist, consult doctor.

· After swallowing:

Do not induce vomiting

Rinse out mouth with water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide.

Foam.

Water haze.

Fire-extinguishing powder.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

Do not inhale fumes and gases produced during a fire. Remove all sources of ignition, use protective clothing and equipment, protect respiratory system. Remove from danger area remove all persons not involved in fire fighting. Alert the surroundings to the fire. If necessary If necessary, order evacuation.

- · 5.3 Advice for firefighters
- · Protective equipment:

Use water jets to cool containers to prevent product decomposition and the formation of substances potentially hazardous to health. Always wear full fire-fighting equipment. Collect fire extinguishing water to prevent it from entering the sewage system. Dispose of contaminated extinguishing water and fire residues in accordance with applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighter's clothing, i.e. firefighter's kit (BS EN 469), gloves (BS EN 659) and boots (HO Specification A29 and A30) combined with self-contained open-circuit positive pressure compressed air breathing apparatus (BS EN 137).

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Protect from moisture.

At work do not eat, drink or smoke.

Provide good ventilation.

· Information about fire - and explosion protection:

Protect from heat.

Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Keep away from sources of ignition, do not smoke. Take precautionary measures against electrostatic discharges. Sprinkle heated containers with water.

Store in a tightly closed container in a dry and well-ventilated place.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

PNECs		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
(freshwater)	0.00403 mg/l	
(sea water)	0.000403 mg/l	
(freshwater sediments)	0.0499 mg/kg	
(sea water sediments)	0.00499 mg/kg	
(soil)	3 mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

If the threshold value (e.g. MAK-NDN) for the substance or one of the substances in the product is exceeded, a type A filter mask should be used, the class of which (1, 2 or 3) should be selected according to the concentration limit used. (see standard EN 14387). Combination filters are required in the presence of

(Contd. on page 4)

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

(Contd. of page 3)

different types of gases or vapours and/or gases or vapours containing particles (aerosols, vapours, mists, etc.).

If the technical measures adopted are not adequate to limit the worker's exposure to the threshold values considered, respiratory protection measures must be used. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relevant TLV-TWA value, and in an emergency situation, an open-circuit compressed air breathing apparatus (according to EN 137) or a breathing apparatus with an external air intake (according to EN 138) should be worn. See standard EN 529 for the correct choice of respiratory protective device.

· Hand protection

EN 374

CE Mark: Category III



Protective gloves

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Polyethylene gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

EN 166



Tightly sealed goggles

· Body protection:

Safety shoes (according to ENISO 20346)

Protective work clothing.

· Environmental exposure controls

Emissions generated by production processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Liquid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined
Flammability Not applicable

· Lower and upper explosion limit

Lower:

Vupper:

Flash point:

Auto-ignition temperature:

Not determined

Not applicable

Not applicable

Not specified

Not determined

(Contd. on page 5)

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

(Contd. of page 4) · pH 9 · Viscosity: · Kinematic viscosity 3000 s · Dynamic: Not determined · Solubility · water: Miscible · Partition coefficient n-octanol/water (log Not determined · Vapour pressure: Not determined · Density and/or relative density 1.35 kg/dm · Density: · Relative density Not determined · Vapour density Not determined · Relative gas density Not determined. · Particle characteristics Unspecified. · 9.2 Other information · Appearance: · Form: Liquid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting · Explosive properties: Product does not present an explosion hazard · Change in condition · Evaporation rate Not determined · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
CAS: 559	CAS: 55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)		
Oral	LD50	49-75 mg/kg (rat)	
Dermal	LD50	141 mg/kg (rabbit)	
Inhalative	LC50/4h	0.33 mg/l (rat)	
CAS: 263	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Oral	LD50	500 mg/kg (ATE)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

ıuatic	

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50 3.3 mg/l (bacteria) (OECD 209)

CAS: 55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

EC50 4.5 mg/l (bacteria)

0.16 mg/l (daphnia) (48h)

LC50 0.018 mg/l (algae) (72h)

0.19 mg/l (fish) (96h)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

- E11

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

(Contd. of page 6)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of in a safe manner in accordance with local / national regulations.

Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.

European waste catalogue

The listed waste code numbers, according to the European Waste Catalogue (EWC) are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECT	ON 14:	ransport in	tormation

SECTION 14. Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Not applicable	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.	
· UN "Model Regulation":	Not applicable	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/CE Regulation, REACH 1272/2008/CE Regulation, CLP 2020/878/UE Regulation

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)

Printing date 06.02.2024 Version number 1 Revision: 06.02.2024

Trade name: Matizol Color Roof

(Contd. of page 7)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer ANNEX I (Ozone- depleting potential)
- · Other regulations, limitations and prohibitive regulations No restrictions
- Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- Fatal in contact with skin. H310
- Causes severe skin burns and eye damage. H314
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.

Points marked with * have changed from the previous version of the card